



INO-9BE10

SOS BENMARI
BAIN MARIE



INO-9BE20

SOS BENMARI
BAIN MARIE



INO-9BG20

SOS BENMARI
BAIN MARIE



MODEL	MODÜL	GENİŞLİK	DERİNLİK	YÜKSEKLİK	ISI KAPASİTESİ	ELEKTRİK GİRİŞİ	GAZ GİRİŞİ
	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	ELECTRIC INLET	GAS INLET
		mm	mm	mm	kW	V	Inch
INO-9BE10	1/2	400	900	850	1,5	220 - 230 V / 50-60 Hz	-
INO-9BE20	1	800	900	850	3	220 - 230 V / 50-60 Hz	-
INO-9BG20	1	800	900	850	6,5	-	3/4"



INO-9HE10

PATATES DİNLENDİRME
FRENCH FRIES WARMER



INO-9FE10-S

FRİTÖZ
DEEP FAT FRYER



INO-9FE20-S

FRİTÖZ
DEEP FAT FRYER



MODEL	MODÜL	GENİŞLİK	DERİNLİK	YÜKSEKLİK	ISI KAPASİTESİ	KAPASİTE	ELEKTRİK GİRİŞİ
	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	CAPACITY	ELECTRIC INLET
		mm	mm	mm	kW	mm	V
INO-9HE10	1/2	400	900	850	0,65	GN 1/1 x 100	220 - 230 V / 50-60 Hz
INO-9FE10-S	1/2	400	900	850	16,5	18	380 - 400 V / 3N 50-60 Hz
INO-9FE20-S	1/2	400	900	850	33	18 + 18	380 - 400 V / 3N 50-60 Hz



INO-9FE10

FRİTÖZ
FRYER



INO-9FE10D

DİJİTAL FRİTÖZ
DIGITAL FRYER



INO-9FE20

FRİTÖZ
FRYER



MODEL	MODÜL	GENİŞLİK	DERİNLİK	YÜKSEKLİK	ISI KAPASİTESİ	YAĞ KAPASİTESİ	ELEKTRİK GİRİŞİ
	MODULE	WIDTH	DEPTH	HEIGHT	HEAT CAP.	OIL CAPACITY	ELECTRIC INLET
		mm	mm	mm	kW	Lt	V
INO-9FE10	1/2	400	900	850	18	18	380 - 400 V / 3N 50-60 Hz
INO-9FE10D	1/2	400	900	850	18	18	380 - 400 V / 3N 50-60 Hz
INO-9FE20	1	800	900	850	36	18 + 18	380 - 400 V / 3N 50-60 Hz



INO-70E10W İNDÜKSİYONLU WOK OCAK
INDUCTION WOK COOKER



INO-70E10I İNDÜKSİYONLU OCAK
INDUCTION COOKER



INO-70E20I İNDÜKSİYONLU OCAK
INDUCTION COOKER



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEK. HEIGHT	ISI KAP. HEAT CAP.	WOK ÇAPI WOK DIAMETER	CAM ÖLÇÜSÜ CERAMIC GLASS SIZE	ELEKTRİK GİRİŞİ ELECTRIC INLET
		mm	mm	mm	kW	mm	mm	V
INO-70E10W	1/2	400	730	850	5	Ø300	-	380 - 400 V / 3N 50-60 Hz
INO-70E10I	1/2	400	730	850	7	-	530 x 320	380 - 400 V / 3N 50-60 Hz
INO-70E20I	1	800	730	850	14	-	2 x 530 x 320	380 - 400 V / 3N 50-60 Hz



INO-7BE10 SOS BENMARI
BAIN MARIE



INO-7BE20 SOS BENMARI
BAIN MARIE



INO-7BG20 SOS BENMARI
BAIN MARIE



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEKLİK HEIGHT	ISI KAPASİTESİ HEAT CAP.	ELEKTRİK GİRİŞİ ELECTRIC INLET	GAZ GİRİŞİ GAS INLET
		mm	mm	mm	kW	V	Inch
INO-7BE10	1/2	400	730	850	1,5	220 - 230 V / 50-60 Hz	-
INO-7BE20	1	800	730	850	3	220 - 230 V / 50-60 Hz	-
INO-7BG20	1	800	730	850	6,5	-	3/4"



INO-7HE10

PATATES DİNLENDİRME
FRENCH FRIES WARMER



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEKLİK HEIGHT	ISI KAPASİTESİ HEAT CAP.	KAPASİTE CAPACITY	ELEKTRİK GİRİŞİ ELECTRIC INLET
		mm	mm	mm	kW	mm	V
INO-7HE10	1/2	400	730	850	0,65	GN 1/1 x 100	220 - 230 V / 50-60 Hz



INO-70E10WS İNDÜKSİYONLU WOK OCAK
INDUCTION WOK COOKER



INO-70E10IS İNDÜKSİYONLU OCAK
INDUCTION COOKER



INO-70E20IS İNDÜKSİYONLU OCAK
INDUCTION COOKER



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEKLİK HEIGHT	ISI KAP. HEAT CAP.	WOK ÇAPI WOK DIAMETER	CAM ÖLÇÜSÜ CERAMIC GLASS SIZE	ELEKTRİK GİRİŞİ ELECTRIC INLET
		mm	mm	mm	kW	mm	mm	V
INO-70E10WS	1/2	400	730	285	5	Ø300	-	380 - 400 V / 3N 50-60 Hz
INO-70E10IS	1/2	400	730	285	7	-	530 x 320	380 - 400 V / 3N 50-60 Hz
INO-70E20IS	1	800	730	285	14	-	2 x 530 x 320	380 - 400 V / 3N 50-60 Hz



INO-7BE10S SOS BENMARI
BAIN MARIE



INO-7BE20S SOS BENMARI
BAIN MARIE



INO-7BG20S SOS BENMARI
BAIN MARIE



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEKLİK HEIGHT	ISI KAPASİTESİ HEAT CAP.	ELEKTRİK GİRİŞİ ELECTRIC INLET	GAZ GİRİŞİ GAS INLET
		mm	mm	mm	kW	V	Inch
INO-7BE10S	1/2	400	730	285	1,5	220 - 230 V / 50-60 Hz	-
INO-7BE20S	1	800	730	285	3	220 - 230 V / 50-60 Hz	-
INO-7BG20S	1	800	730	285	6,5	-	3/4"



INO-7HE10S

PATATES DİNLENDİRME
FRENCH FRIES WARMER



MODEL	MODÜL MODULE	GENİŞLİK WIDTH	DERİNLİK DEPTH	YÜKSEKLİK HEIGHT	ISI KAPASİTESİ HEAT CAP.	KAPASİTE CAPACITY	ELEKTRİK GİRİŞİ ELECTRIC INLET
		mm	mm	mm	kW	mm	V
INO-7HE10S	1/2	400	730	285	0,65	GN 1/1 x 100	220 - 230 V / 50-60 Hz

BAIN-MARIE // Bagnomaria // Bain-Marie // Wasserbäder // Baño María //

Model	Description	Datas
	Mod. BA74ET Code MAMCOOO238O Bagnomaria elettrico Top 1 x GN I/I Electric bain maire top 1 x GN I/I Bain-marie électrique Top 1 x GN I/I Elektro Bainmarie 400 mm Oberteil 1 x GN I/I Baño maría eléctrico de sobremesa de ancho 400 I x GN I/I	mm (LxPxH) 400x750x250 m³ kg 0.2 25 VAC Hz 230-I 50/60 kW ⚡ 1.8
	Mod. BA74EG Code MAMCOOO239O Bagnomaria elettrico su vano a giorno 1 x GN I/I Electric bain maire on open stand 1 x GN I/I Bain-marie électrique sur placard ouvert 1 x GN I/I Elektro Bainmarie 400 mm Unterbau offen 1 x GN I/I Baño maría eléctrico montado sobre mueble abierto de ancho 400 I x GN I/I	mm (LxPxH) 400x750x900 m³ kg 0.4 40 VAC Hz 230-I 50/60 kW ⚡ 1.8
	Mod. BA78ET Code MAMCOOO241O Bagnomaria elettrico Top 2 x GN I/I Electric bain maire top 2 x GN I/I Bain-marie électrique Top 2 x GN I/I Elektro Bainmarie 800 mm Oberteil 2 x GN I/I Baño maría eléctrico de sobremesa de ancho 800 2 x GN I/I	mm (LxPxH) 800x750x250 m³ kg 0.4 50 VAC Hz 400-3N 50/60 kW ⚡ 5.4
	Mod. BA78EG Code MAMCOOO242O Bagnomaria elettrico su vano a giorno 2 x GN I/I Electric bain maire on open stand 2 x GN I/I Bain-marie électrique sur placard ouvert 2 x GN I/I Elektro Bainmarie 800 mm Unterbau offen 2 x GN I/I Baño maría eléctrico montado sobre mueble abierto de ancho 800 2 x GN I/I	mm (LxPxH) 800x750x900 m³ kg 0.8 65 VAC Hz 400-3N 50/60 kW ⚡ 5.4
	Mod. ABATU Code MA9731500O Traversino universale per bacinelle GN Universal cross bar for GN trays Traverse universelle pour les cuvettes GN Quersteg für GN-Schalen Travesaño universal para apoyo de recipientes	mm (LxPxH) m³ kg

BAIN-MARIE // Bagnomaria // Bain-Marie // Wasserbäder // Baño María //

Model	Description	Datas
	Mod. BA94ET Code MAMCOOO4760 Bagnomaria elettrico Top da 400 l x GN I/I Electric bain maire 400 mm width top l x GN I/I Bain-marie électrique Top de 400 l x GN I/I Elektro Bainmarie 400 mm Oberteil l x GN I/I Baño maría eléctrico de sobremesa de ancho 400 l x GN I/I	mm (LxPxH) 400x920x250 m ³ kg 0.5 30 VAC Hz 230-I 50/60 kW ⚡ 1.8
	Mod. BA94EG Code MAMCOOO4770 Bagnomaria elettrico su vano a giorno da 400 l x GN I/I Electric bain maire 400 mm width on open stand l x GN I/I Bain-marie électrique sur placard ouvert de 400 l x GN I/I Elektro Bainmarie 400 mm Unterbau offen l x GN I/I Baño maría eléctrico montado sobre mueble abierto de ancho 400 l x GN I/I	mm (LxPxH) 400x920x900 m ³ kg l 45 VAC Hz 230-I 50/60 kW ⚡ 1.8
	Mod. BA98ET Code MAMCOOO4740 Bagnomaria elettrico Top da 800 2 x GN I/I Electric bain marie 800 mm width top 2 x GN I/I Bain-marie électrique Top de 800 2 x GN I/I Elektro Bainmarie 800 MM Oberteil 2 x GN I/I Baño maría eléctrico de sobremesa de ancho 800 2 x GN I/I	mm (LxPxH) 800x920x250 m ³ kg 0.25 40 VAC Hz 400-3N 50/60 kW ⚡ 5.4
	Mod. BA98EG Code MAMCOOO4750 Bagnomaria elettrico su vano a giorno da 800 2 x GN I/I Electric bain maire 800 mm width on open stand 2 x GN I/I Bain-marie électrique sur placard ouvert de 800 2 x GN I/I Elektro Bainmarie 800 MM Unterbau offen 2 x GN I/I Baño maría eléctrico montado sobre mueble abierto de ancho 800 2 x GN I/I	mm (LxPxH) 800x920x900 m ³ kg 0.5 55 VAC Hz 400-3N 50/60 kW ⚡ 5.4
	Mod. ABATU Code MA973I5000 Traversino universale per bacinelle GN Universal cross bar for GN trays Traverse universelle pour les cuvettes GN Quersteg für GN-Schalen Travesaño universal para apoyo de recipientes	mm (LxPxH) m ³ kg